

CS SERIES

TABLET FRIABILITY TESTER



Tablet Friability Tester



CS-1/2/3 Series Tablet Friability Tester Series are the latest development and production of our company, which is the requisite instrument in detecting the friability and abrasion of tablets. The design and technical specifications of this tester reached or surpassed the advanced level of its kind of instrument in the world. All our lab instruments are manufactured in conformance to USP Specifications and Codes.

[CS-1](#)[CS-2](#)[CS-3](#)

Features:

- Tablet friability series uses a MPU to control all operations. It has high accuracy speed and revolutions.
- About all components are selected in the imported or high quality ones.
- It can be operated conveniently by using keys. Its measurement results are displayed by LED.
- Each unit is carefully crafted to ensure highest quality workmanship and performance prior to reach our end-users.

Technical Data	CS-1	CS-2	CS-3
Cylinder Radius	Φ286 mm		
Cylinder Depth	39 mm		
Tablet Fall Height	156 mm		
Rotation Count	10 ~ 900	100	10 ~ 900
Rotation Speed	20 ~ 90 RPM	25 RPM	
Speed Regulator Accuracy	+/- RPM		
Continuous Work	> 24 hours		
Power	110V 60Hz 40W or as required		
Dimension	370 x 310 x 340 mm		
Weight	14kg	10 kg	

SaintyCo also offer:

Softgel Manufacturing Line

Capsule Printer

Capsule Counting Line

Cartoning Systems

Blister Packing Solutions

